Voluntary Product Accessibility Template® (VPAT®) Revised Section 508 Edition

Version 2.4

Voluntary Product Accessibility Template® (VPAT®)	1
Revised Section 508 Edition	1
About This Document	2
Essential Requirements and Best Practices for Information & Communications ⁻ Vendors	0, (,
Getting Started	3
Essential Requirements for Authors	3
Best Practices for Authors	5
Posting the Final Document	8
Table Information for VPAT® Readers	8
iWorkConverter Accessibility Conformance Report	9
Revised Section 508 Edition	9
Name of Product/Version:	9
Report Date:	9
Product Description:	9
Contact Information:	9
Notes:	9
Evaluation Methods Used:	9
Applicable Standards/Guidelines	9
Terms	9
WCAG 2.0 Report	10
Table 1: Success Criteria, Level A	11
Table 2: Success Criteria, Level AA	15
Table 3: Success Criteria, Level AAA	17
Revised Section 508 Report	19
Chapter 3: Functional Performance Criteria (FPC)	19
Chapter 4: Hardware	19
Chapter 5: Software	20
Chapter 6: Support Documentation and Services	21
Legal Disclaimer (Company)	22

About This Document

The VPAT is provided in four editions based on the standards/guidelines being evaluated. The editions are WCAG, Revised 508, EN 301 549 and International, which includes all of the standards.

This is the Revised Section 508 edition of the VPAT. It includes the following standards/guidelines:

- Web Content Accessibility Guidelines 2.0
- Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018

If you need a different combination of standards/guidelines then use the appropriate alternate edition of the VPAT found on the ITI Accessibility web page.

This document is broken into two main sections:

- Essential Requirements and Best Practices for using the VPAT® to complete an Accessibility Conformance Report (the instructions)
- The VPAT

Please carefully review the Essential Requirements and Best Practices sections before using the VPAT to create an Accessibility Conformance Report.

The purpose of these instructions is to promote accurate and consistent reporting of product accessibility information.

The VPAT is a template used to document a product's conformance with accessibility standards and guidelines. The purpose of the Accessibility Conformance Report is to assist customers and buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology," also referred to as "Information and Communication Technology" (ICT) products and services with features that support accessibility.

The Information Technology Industry Council (ITI) provides the VPAT. Use of the template and service mark does not require membership in ITI.

Essential Requirements and Best Practices for Information & Communications Technology (ICT) Vendors

This section provides guidance for reporting product conformance for major accessibility standards and guidelines using the VPAT® to produce the Accessibility Conformance Report. Deviating from these guidelines precludes vendors from referencing the template by name and/or the VPAT acronym.

Getting Started

- 1. Before creating a report, read all of the materials provided in this document.
- 2. Determine which accessibility standards/guidelines will be included in the Accessibility Conformance Report and use the appropriate VPAT file.
- 3. It is the vendor's responsibility to maintain the integrity of the data in the report.

Essential Requirements for Authors

The following are the minimum requirements to produce an Accessibility Conformance Report based on the VPAT®.

- 1. The VPAT name and template are registered service marks of ITI. Use of the VPAT template and name requires the inclusion of the registered service mark (i.e., "VPAT®"). Users of the VPAT agree not to deviate from the Essential Requirements for Authors.
- 2. The template file can be used as is or replicated in a different delivery format, for example as HTML or PDF. The final conformance report must be accessible.
- 3. A report must contain the following content at a minimum:
 - Report Title In the heading format of "[Company Name] Accessibility Conformance Report"
 - **VPAT Heading Information** Template version
 - Name of Product/Version Name of Product being reported, including product version identifier if necessary
 - Report Date Date of report publication. At a minimum, provide the month and year of the report publication. For example, "May 2016". If date is included, ensure it is clear "4 May 2016" or "May 4, 2016".
 - **Product Description** A brief description of the product
 - Contact Information Contact Information for follow-up questions. Listing an email is sufficient.
 - Notes Any details or further explanation about the product or the report.
 This section may be left blank.

- Evaluation Methods Used Include a description of evaluation methods used to complete the VPAT for the product under test.
- Applicable Standards/Guidelines A clear indication of which Standards/ Guidelines this Conformance Report covers.
 - The list must include only the Standards/Guidelines used to evaluate the product.
 - The applicable Standards/Guidelines that are included in this VPAT edition are:
 - Web Content Accessibility Guidelines 2.0 or WCAG 2.0 (ISO/ IEC 40500)
 - Revised Section 508 standards the U.S. Federal accessibility standard for ICT Products, published by the U.S. Access Board in the Federal Register on January 18, 2017 and corrected on January 22, 2018
 - If other Standards/Guidelines are reported, then use the appropriate VPAT edition.
 - This information can be in a table format at the top of the report with the table heading 'Standards/Guidelines' and the reported Standards/ Guidelines identified. This information can alternatively be supplied in the introductory text of the report. In the VPAT we have used a table as an example and listed "(yes / no)" for each standard/guideline. To indicate what the report covers leave the appropriate yes or no on each standard/guideline.
 - If multiple Standards or Guideline tables are included, each table must identify the Standard or Guideline that the criteria in that table represent.
- Terms The report must list the definition of the terms used in the Conformance Level column. ITI recommends the following terms. If a vendor deviates from the ITI definitions, the vendor shall reference this change in the heading Notes section. If a term is not used it can be removed from the list. The ITI definitions are: This can only be used in WCAG 2.x Level AAA
 - **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
 - Partially Supports: Some functionality of the product does not meet the criterion.
 - **Does Not Support**: The majority of product functionality does not meet the criterion.
 - **Not Applicable**: The criterion is not relevant to the product.

<u>Note</u>: When filling in the WCAG tables, a response may use 'Supports' where one might otherwise be inclined to use 'Not Applicable'. This is in keeping with <u>WCAG 2.0 Understanding Conformance</u>: This means that if there is no content to which a success criterion applies, the success criterion is satisfied.

- **Not Evaluated**: The product has not been evaluated against the criterion. This can only be used in WCAG 2.x Level AAA.
- Tables for Each Standard or Guideline Tables showing the responses to the criteria.
- 4. WCAG Conformance Information The answers in the WCAG success criteria are based on the level of conformance being reported (Level A, AA or AAA).
 - These tables are used to answer:
 - Revised Section 508:
 - Chapter 5 Software
 - Chapter 6 Support Documentation
 - The selected levels of WCAG 2.0 Guidelines.
 - If using a summary table, due to answers applying to multiple criteria, when answering for the Revised Section 508, the answers need to be clear about which individual criteria the answer applies to. It is possible to either use a summary, selecting the worst case for the criteria, or to have separate answers or even tables for software, support documentation, authoring tools, etc., so long as the methodology used is made clear.
- Remarks and Explanations Detailed remarks should be provided in the Remarks and Explanations column to justify your answer in the Conformance Level column.
 - When the conformance level is 'Partially Supports' or 'Does Not Support', the remarks should identify:
 - 1. The functions or features with issues
 - 2. How they do not fully support
 - If the criterion does not apply, explain why.
 - If an accessible alternative is used, describe it.
- 6. In the Section 508 tables, when subsections of criteria do not apply to the product, the section may be summarized or removed as long as an explanation is provided explaining why a criterion does not apply. Another alternative is to leave the table and add a summary why the section does not apply. For example, in Chapter 5 the criteria in 502 and 503 will not apply to a web only application, thus those sections can be removed with a summary in the notes for the chapter, or a row in the table.

Best Practices for Authors

ITI suggests that authors adopt the following best practices when using the VPAT® to create an Accessibility Conformance Report.

Branding Header: Company logo or branding information

- Report Date Changes: If a report is revised, change the report date and explain the revision in the Notes section. Alternately, create a new report and explain in the Notes section that it supersedes an earlier version of the report.
- Notes: Add any notes applicable to product or the report
 - Additional information about the product version that the document references
 - Any revisions to the document
 - Links to any related documents
 - Additional information describing the product
 - Additional information about what the document does or does not cover
 - Information suggested by the <u>WCAG 2.0 Conformance Claim</u>
 - Information needed to satisfy ISO/IEC 17050-1:2004, Supplier's Declaration of Conformity
- Evaluation Methods Used Information to enter may include the following:
 - Testing is based on general product knowledge
 - Similar to another evaluated product
 - Testing with assistive technologies
 - Published test method (provide name, publisher, URL link)
 - Vendor proprietary test method
 - Other test method
- Remarks and Explanations: This section may include:
 - Information regarding the testing of a given criteria.
 - Information on application dependencies to support accessibility (e.g. OS, app frameworks, browsers recommended).
 - How the customer can find more information about accessibility issues.
 One method can be to include the bug ID where customers can call the company's customer support to get additional information.
 - Known workarounds for accessibility issues.
- Legal Disclaimer: Area for any legal disclaimer text required by your organization.
- Report Size: To reduce the size of the report it is acceptable to remove sections. Individual criteria cannot be removed, only sections at a time. Section removal is acceptable in four situations:
 - When an entire section is not being reported on because it does not apply to the product, for example:
 - Chapter 4: Hardware. Information should be included in the notes for that section why it has been removed.

- A card reader that doesn't have sound could remove the criteria in section 413 Closed Caption Processing Technologies and just note the why the criteria doesn't apply.
- If the product is not being evaluated for a level of the criteria (for example Level AAA) then that table may be deleted.
- If a requesting customer has identified that a section of the standard does not apply, information should be included in the notes that the section has been removed.
- WCAG 2.0 Tables: The WCAG 2.0 criteria are shown in three tables, Level A, Level AA, and Level AAA.
 - If desired, these tables can be combined into one table.
 - When reporting on a level (A, AA or AAA) all criteria for that level must be answered.
- Language: Translation to other languages is permitted.
- Multiple Reports: When using the VPAT to create an Accessibility
 Conformance Report for complex products it may be helpful to separate
 answers into multiple reports. For example, when a product is an Authoring
 Tool that also has web content and documentation. When multiple reports
 are used for a complex product, it is required to explain this and how to reach
 the other reports in the Notes section of each report.
- Criteria Text: To help conserve space in the ITI template only the criteria ID number and a short title have been included. Where possible, links have been included to the standard/guideline.
 - It is acceptable to add the full text of the criteria into the cell if desired to help with understanding.
 - The links to the standards/guidelines can be removed.
- Ordering of Tables: The order that the standard and guideline tables appear may be changed to facilitate reading. The current order is WCAG then Section 508. You can change this order to insert the WCAG criteria into the Section 508 tables.
- Guideline Section Heading Rows in Tables: The tables include heading rows to facilitate understanding the context of the criteria.
 - The cells in these rows do not require answers as indicated by "Heading cell – no response required."
 - It is optional to add a response if desired.
 - The shading of the row is also optional.
 - If removing the heading rows, edit the criteria titles so it's clear where they apply.

Posting the Final Document

- When publishing your Accessibility Conformance Report, be sure to remove the entire first 9 pages of this document, including the table of contents, introductory information and instructions.
- Check for each required item in the VPAT® document:
 - [Company Name] Accessibility Conformance Report (report title)
 - (Based on VPAT® Version 2.4)
 - Name of Product/Version
 - Report Date
 - Product Description
 - Contact Information
 - Notes
 - Evaluation Methods Used
 - Applicable Standards/Guidelines
 - Terms
 - Tables for Each Standard or Guideline
 - Check that there is a response for each criterion for 'Conformance Level' and 'Remarks and Explanations.'
- Verify that the final document is accessible.
- Post your final document on your company's web site, or make the document available to customers upon request.

Table Information for VPAT® Readers

For each of the standards, the criteria are listed by chapter in a table. The structures of the tables are: the first column contains the criteria being evaluated, the second column describes the level of conformance of the product regarding the criteria and the third column contains any additional remarks and explanations regarding the product.

- When sections of criteria do not apply, or are deemed by the customer as not applicable, the section is noted as such and the rest of that table may be removed for that section.
- When multiple standards are being recorded in this document, the duplicative sections are noted and responded to only one time. The duplicate entry will note the cross reference to the data.

iWorkConverter Accessibility Conformance Report

Revised Section 508 Edition

(Based on VPAT® Version 2.4)

Name of Product/Version:

iWorkConverter 2.9

Report Date:

Oct 18, 2021

Product Description:

iWorkConverter is an app on Apple Mac, it can help you convert iWork documents to Microsoft Office documents.

Contact Information:

http://tyorex.com

Support E-Mail: support@tyorex.com

Notes:

Evaluation Methods Used:

Testing is based on general product knowledge

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

• **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.

- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- **Not Applicable**: The criterion is not relevant to the product.
- **Not Evaluated**: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the WCAG 2.0 Conformance Requirements.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Partially supports Electronic Docs: Partially supports Software: Partially supports Authoring Tool: Not Applicable	Web: Non-text content without a text alternative is present, but this content is not essential for the use of web-documentation Electronic Docs: Non-text content without a text alternative is present, but this content is not essential for the use of documentation Software: Some user interface elements are not available for Screen Readers, such as: • Recent Comparisons • Some warning and errors messages • Switching between different program modules • Other non-essential scenarios
1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not applicable	ICT does not utilize time-based media
1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508	Not applicable	ICT does not utilize time-based media
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not applicable	ICT does not utilize time-based media

Criteria	Conformance Level	Remarks and Explanations
1.3.1 Info and Relationships (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	Electronic Docs: User documentation is available in html format Software: Some user interface components and options might not be easily understood in terms of structure and relationships
1.3.2 Meaningful Sequence (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	
1.3.3 Sensory Characteristics (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	
1.4.1 Use of Color (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	
1.4.2 Audio Control (Level A) Also applies to: Revised Section 508	Not applicable	ICT does not utilize automatic audio playback
2.1.1 Keyboard (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Software: Partially supports	Software: Keyboard access is supported for main scenarios of the product, but there are a few areas of the program that are not accessible from the keyboard including: • It is impossible to select documents with keyboard only. • It is impossible to check conversation result or errors with keyboard only. • Some specific operations are not supported.

Criteria	Conformance Level	Remarks and Explanations
2.1.2 No Keyboard Trap (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	
2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508	Not applicable	No tasks are time-limited.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508	Not applicable	Such information is not used
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Software: Supports	
2.4.1 Bypass Blocks (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Does not support	Web: There is no mechanism to bypass blocks of repeated content
2.4.2 Page Titled (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports	
2.4.3 Focus Order (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Not applicable	Software: navigation sequences do not affect meaning or operation

Criteria	Conformance Level	Remarks and Explanations
2.4.4 Link Purpose (In Context) (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	
3.1.1 Language of Page (Level A) Also applies to: Revised Section 508	Does not support	The page of ICT supports English only
3.2.1 On Focus (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Software: Supports	
3.2.2 On Input (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	
3.3.1 Error Identification (Level A) Also applies to: Revised Section 508	Web: Not applicable Electronic Docs: Not applicable Software: Supports	Web: there is no way to input an error Electronic Docs: there is no way to input an error
3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508	Web: Not applicable Electronic Docs: Not applicable Software: Supports	Web: does not require user input Electronic Docs: does not require user input
4.1.1 Parsing (Level A) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	
4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Not applicable	Such information is not used

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA) Also applies to: Revised Section 508	Not applicable	ICT does not utilize time-based media
1.2.5 Audio Description (Prerecorded) (Level AA) Also applies to: Revised Section 508	Not applicable	ICT does not utilize time-based media
1.4.3 Contrast (Minimum) (Level AA) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Partially supports	Software: Most elements in the product interface inherit user selected display attributes with some exceptions.
1.4.4 Resize text (Level AA) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	Software: Supported through standard system options
1.4.5 Images of Text (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Electronic Docs: Software: Authoring Tool:	Web: Electronic Docs: Software: Authoring Tool:
2.4.5 Multiple Ways (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports Electronic Docs: Supports Software: Supports	

Criteria	Conformance Level	Remarks and Explanations
2.4.6 Headings and Labels (Level AA) Also applies to: Revised Section 508	Web: Supports Electronic Docs: Supports Software: Supports	
2.4.7 Focus Visible (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Supports Electronic Docs: Supports Software: Supports	
3.1.2 Language of Parts (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Partially supports Electronic Docs: Partially supports	Web: All content on one page in presented in one language. Electronic Docs: All content on one page in presented in one language.
3.2.3 Consistent Navigation (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports Electronic Docs: Supports	
3.2.4 Consistent Identification (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs	Web: Supports	
3.3.3 Error Suggestion (Level AA) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Web: Not applicable Electronic Docs: Not applicable Software: Not applicable	Web: No input is required Electronic Docs: No input is required Software: There are no suggestions for errors

Criteria	Conformance Level	Remarks and Explanations
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: Revised Section 508	Web: Not applicable Electronic Docs: Not applicable Software: Not applicable	Web: No such functionality is included Electronic Docs: No such functionality is included Software: No such functionality is included

Table 3: Success Criteria, Level AAA

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA) Revised Section 508 – Does not apply	Not applicable	The ICT does not utilize audio in the user interface
1.2.7 Extended Audio Description (Prerecorded) (Level AAA) Revised Section 508 – Does not apply	Not applicable	The ICT does not utilize audio in the user interface
1.2.8 Media Alternative (Prerecorded) (Level AAA) Revised Section 508 – Does not apply	Not applicable	The ICT does not utilize audio in the user interface
1.2.9 Audio-only (Live) (Level AAA) Revised Section 508 – Does not apply	Not applicable	The ICT does not utilize audio in the user interface
1.4.6 Contrast (Enhanced) (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
1.4.7 Low or No Background Audio (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
1.4.8 Visual Presentation (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
1.4.9 Images of Text (No Exception) (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
2.1.3 Keyboard (No Exception) (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
2.2.3 No Timing (Level AAA) Revised Section 508 – Does not apply	Web: Not applicable	Web: No tasks are time-limited except

Criteria	Conformance Level	Remarks and Explanations
2.2.4 Interruptions (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
2.2.5 Re-authenticating (Level AAA) Revised Section 508 – Does not apply	Web: Not applicable	Web: No login functions
2.3.2 Three Flashes (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
2.4.8 Location (Level AAA) Revised Section 508 – Does not apply	Web: Not applicable	The ICT does not utilize location in the user interface
2.4.9 Link Purpose (Link Only) (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
2.4.10 Section Headings (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
3.1.3 Unusual Words (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
3.1.4 Abbreviations (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
3.1.5 Reading Level (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
3.1.6 Pronunciation (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
3.2.5 Change on Request (Level AAA) Revised Section 508 – Does not apply	Web: Supports	
3.3.5 Help (Level AAA) Revised Section 508 – Does not apply	Web: Does Not Support	
3.3.6 Error Prevention (All) (Level AAA) Revised Section 508 – Does not apply	Web: Not applicable	Web: No input is required Electronic Docs: No input is required

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	
302.2 With Limited Vision	Supports	
302.3 Without Perception of Color	Supports	
302.4 Without Hearing	Not applicable	The ICT does not utilize audio in the user interface
302.5 With Limited Hearing	Not applicable	The ICT does not utilize audio in the user interface
302.6 Without Speech	Not applicable	The ICT does not utilize audio in the user interface
302.7 With Limited Manipulation	Partially supports	Software: Keyboard access is supported for main scenarios of the product, but there are a few areas of the program that are not accessible from the keyboard including: It is impossible to select documents with keyboard only. It is impossible to check conversation result or errors with keyboard only. Some specific operations are not supported.
302.8 With Limited Reach and Strength	Not applicable	No manual mode of operation which requires reach or strength is provided
302.9 With Limited Language, Cognitive, and Learning Abilities	Does not support	No such features are provided

Chapter 4: **Hardware**

Notes: This chapter is not applicable for the product and thus has been deleted.

Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <u>WCAG 2.0</u> section	See information in WCAG 2.0 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not applicable	ICT is not a platform software
502.2.2 No Disruption of Accessibility Features	Supports	
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially supports	Some user interface elements are not available for Screen Readers, such as: • Documents convertion report.
502.3.2 Modification of Object Information	Supports	
502.3.3 Row, Column, and Headers	Supports	
502.3.4 Values	Supports	
502.3.5 Modification of Values	Partially supports	Software: Keyboard access is supported for main scenarios of the product, but there are a few areas of the program that are not accessible from the keyboard including: It is impossible to select documents with keyboard only. It is impossible to check conversation result or errors with keyboard only. Some specific operations are not supported.
502.3.6 Label Relationships	Supports	
502.3.7 Hierarchical Relationships	Does not support	Such relationships are not available for assistive technology.
502.3.8 Text	Not applicable	
502.3.9 Modification of Text	Not applicable	

Criteria	Conformance Level	Remarks and Explanations
502.3.10 List of Actions	Not applicable	
502.3.11 Actions on Objects	Not applicable	
502.3.12 Focus Cursor	Not applicable	
502.3.13 Modification of Focus Cursor	Not applicable	
502.3.14 Event Notification	Not applicable	
502.4 Platform Accessibility Features	Not applicable	ICT is not a platform or platform software
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Partially supports	Software: Most elements in the product interface inherit user selected display attributes with some exceptions.
503.3 Alternative User Interfaces	Not applicable	
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not applicable	
503.4.2 Audio Description Controls	Not applicable	
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See <u>WCAG 2.0</u> section	See information in WCAG 2.0 section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not applicable	
504.2.2 PDF Export	Not applicable	
504.3 Prompts	Not applicable	
504.4 Templates	Not applicable	

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features	Supports	Documentation includes information about shortcut keys for using program features.
602.3 Electronic Support Documentation	See WCAG 2.0 section	See information in WCAG 2.0 section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	
603.3 Accommodation of Communication Needs	Supports	User can reach support via e- mail

Legal Disclaimer (Company)

iWorkConverter 2.9 © Tyorex Team

This document is provided "AS IS" without warranty of any kind for information purposes only and the contents hereof are subject to change without notice. The information contained in this document represents the current view of iWorkConverter on the issues discussed as of the date of publication. iWorkConverter does not warrant that this document is error-free, nor does it provide any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. The entire risk of the use or the results from the use of this document remains with the user.